

INDEX TO VOLUME 54

Classified entries: major subjects, key words, and results; botanical names (new names are in **boldface**); geographical areas; reviews, commentaries. Incidental references to taxa (including most lists and tables) are not indexed separately. Species appearing in Noteworthy Collections are indexed under name, family, and state or country. Authors and titles are listed alphabetically by author in the Table of Contents to the volume.

Abronia umbellata, noteworthy collection from WA, 209.

Adenostoma fasciculatum, postfire regeneration patterns, 1.

Aegilops triuncialis, noteworthy collection from NV, 206.

Allophylum divaricatum, noteworthy collection from CA, 367.

Alopeurus geniculatus, noteworthy collection from NV, 205.

Ambrosia confertiflora, noteworthy collection from NV, 205.

Anemone drummondii, noteworthy collection from NV, 206.

Antennaria corymbosa, noteworthy collection from British Columbia, CANADA, 367.

Apiaceae (see *Lomatium*)

Arctostaphylos: *A. glandulosa*, subspecific variation, 42.

New taxa: *A. crustacea* subsp. *crinata*, *A. crustacea* subsp. *eastwoodiana*, *A. crustacea* subsp. *insulicola*, *A. crustacea* subsp. *rosei*, *A. crustacea* subsp. *subcordata*, 148; *A. glandulosum* subsp. *atumescens*, *A. glandulosum* subsp. *cushingiana*, *A. glandulosum* subsp. *erecta*, *A. glandulosum* subsp. *gabrielensis*, *A. glandulosum* subsp. *leucophylla*, *A. glandulosum* subsp. *mollis*, 42; *A. montana* subsp. *ravenii*, *A. nortensis*, *A. nummularia* subsp. *mendocinoensis*, *A. tomentosa* subsp. *hebeclada*, 148.

Arizona:

Noteworthy collections: *Asclepias oenotheroides*, *Enneapterygius cenchroides*, 203.

Asclepiadaceae (see *Asclepias*)

Asclepias oenotheroides, noteworthy collection from AZ, 203.

Asphodelus fistulosus, noteworthy collection from Sonora, MEXICO, 102.

Asteraceae: *Eriophyllum lanatum* and *E. confertiflorum* var. *confertiflorum*, supernumerary chromosomes, 30.

New taxa: *Deinandra peninsularis*, 72; *Pentachaeta aurea* subsp. *allenii*, 343.

Noteworthy collections: *Ambrosia confertiflora*, 205; *Antennaria corymbosa*, 367; *Carduus nutans*, 205; *Centaurea montana*, *Chondrilla juncea*, 210; *Cirsium flodmanii*, 366; *Helminthotheca (Picris) echinooides*, 206; *Hymenoxys richardsonii* var. *richardsonii*, *Parthenium ligulatum*, *Psilocarphus oregonus*, 207; *Pyrrocoma liatriformis*, 208; *Sanvitalia abertii*, 205.

Astragalus kentrophyta var. *ungulatus*, noteworthy collection from CA, 204.

Berteroa incana, noteworthy collection from CA, 204.

Boerhavia diffusa, noteworthy collection from CA, 369.

Boraginaceae: *Plagiobothrys figuratus* var. *coralllicarpus*, new status, and nomenclatural notes and lectotypes in *P. sect. Allocarya*, 322.

Noteworthy collections: *Cryptantha compacta*, *C. flaccida*, 206; *Echium vulgare*, 210.

Brassicaceae *Streptanthus longisiliquus*, new sp. from CA, 94.

Noteworthy collections: *Berteroa incana*, 204; *Chorispora tenella*, 102; *Physaria ludoviciana*, 204; *Rorippa austriaca*, 210; *Sinapis arvensis*, 102.

Brodiaea santarosae, new sp. from Santa Ana Mts., CA, 187.

Cactaceae (see *Mammillaria*)

California: *Ceanothus roderickii*, fire response, 13; cycadoid from Aptian Budden Canyon Formation, 167; carbonate dust deposition on endangered plant species, 275; ecological restoration case studies, 213–267; floodplain vegetation along upper Santa Ana Riv., 126; *Pinus balfouriana*, environmental and ecological effects on size class distribution, 117; postfire regeneration patterns in mixed chaparral, 1; *Quercus douglasii*, long-term growth and persistence of seedlings, 269; *Silene lemmonii*, pollination biology, 293; spatiotemporal patterns in non-native flora, 105.

New taxa: *Arctostaphylos crustacea* subsp. *crinata*, *A. crustacea* subsp. *eastwoodiana*, *A. crustacea* subsp. *insulicola*, *A. crustacea* subsp. *rosei*, *A. crustacea* subsp. *subcordata*, 148; *A. glandulosum* subsp. *atumescens*, *A. glandulosum* subsp. *cushingiana*, *A. glandulosum* subsp. *erecta*, *A. glandulosum* subsp. *gabrielensis*, *A. glandulosum* subsp. *mollis*, 42; *A. montana* subsp. *ravenii*, *A. nortensis*, *A. nummularia* subsp. *mendocinoensis*, *A. tomentosa* subsp. *hebeclada*, 148; *Brodiaea santarosae*, 187; *Eremogone cliftonii*, 329; *Frangula purshiana* subsp. *annonifolia* and *F. purshiana* subsp. *ultramafica*, 172; *Pedicularis aurantiaca*, 306; *Pentachaeta aurea* subsp. *allenii*, 343; *Pentagramma triangularis* subsp. *rebmanii*, 345; *Platanthera yosemitensis*, 86; *Streptanthus longisiliquus*, 94.

Noteworthy collections: *Allophylum divaricatum*, 367; *Astragalus kentrophyta* var. *ungulatus*, *Berteroa incana*, 204; *Boerhavia diffusa*, 369; *Cardionema ramosissimum*, *Ceanothus impressus* var. *impressus*, 368; *Lycium brevipes* var. *brevipes*, 368; *Parietaria judaica*, 369; *Physaria ludoviciana*, 204; *Psorothamnus fremontii* var. *attenuatus*, 203.

CANADA: British Columbia: *Castilleja victoriae*, new sp. from Vancouver Id., CANADA, and San Juan Ids., WA, 334.

Noteworthy collections: *Antennaria corymbosa*, 367; *Cirsium flodmanii*, *Crypsis alopecuroides*, *Eleocharis geniculata*, 366; *Festuca washingtonica*, 367; *Limonella acaulis*, *Spiranthes diluvialis*, 366; *Viola adunca* var. *cascadensis*, 367.

Carbonate dust deposition on endangered plant species in CA, 275.

Cardionema ramosissimum, noteworthy collection from CA, 368.

Carduus nutans, noteworthy collection from NV, 205.

Carex vulpinoidea, noteworthy collection from NV, 206.

Carlquist, Sherman, Volume 54 dedicated to, 379.

- Caryophyllaceae: *Eremogyne cliftonii*, new sp. from CA, 329; *Silene lemmonii*, pollination biology, 293.
- Noteworthy collections: *Cardionema ramosissimum*, 368; *Herniaria hirsute* subsp. *cinerata*, 102.
- Castilleja victoriae**, new sp. from Vancouver Id., CANADA, and San Juan Ids., WA, 334.
- Ceanothus*: *C. greggii*, postfire regeneration patterns, 1; *C. impressus* var. *impressus*, noteworthy collection from CA, 368; *C. roderickii* fire response, 13.
- Centaurea montana*, noteworthy collection from WA, 210.
- CENTRAL AMERICA**: *Psittacanthus angustifolius* and *P. pinicola*, new morphological measurements, 156.
- Chaparral: *Arctostaphylos glandulosa*, subspecific variation, 42; *Ceanothus roderickii*, fire response, 13; postfire regeneration patterns, 1.
- Chenopodiaceae (see *Kochia*)
- Chondrilla juncea*, noteworthy collection from WA, 210.
- Chorispora tenella*, noteworthy collection from Sonora, MEXICO, 102.
- Chromosome counts: *Deinandra peninsularis*, *D. streetsii* and *Arnica mollotopus*, 72; *Platanthera yosemitensis*, 86.
- Cirsium flodmanii*, noteworthy collection from British Columbia, CANADA, 366.
- Climate change and ecological restoration, 213–267.
- Coleogyne ramosissima*, intraspecific variation in seed imbibition, 27.
- Colorado (see *Echium*)
- Compositae (see Asteraceae)
- Conservation education, 258.
- Cruciferae (see Brassicaceae)
- Crypsis alopecuroides*, noteworthy collection from British Columbia, CANADA, 366.
- Cryptantha compacta*, *C. flaccida*, noteworthy collections from NV, 206.
- Cucumis dipsaceus*, noteworthy collection from Sonora, MEXICO, 102.
- Cucurbitaceae (see *Cucumis*)
- Cycadoid from Aptian Budden Canyon Formation, CA, 167.
- Cyperaceae (see *Carex* and *Eleocharis*)
- Dalea analiliana**, new sp. from Sierra Madre Occidental, MEXICO, 175.
- Deinandra peninsularis**, 72.
- Echium vulgare*, noteworthy collections from CO and WY, 210.
- Ecological restoration, case studies from CA, 213–267.
- Editor's report, 375.
- Eleocharis geniculata*, noteworthy collection from British Columbia, CANADA, 366.
- Enneapogon cenchroides*, noteworthy collection from AZ, 203.
- Eragrostis echinochloidea*, *E. superba*, noteworthy collections from Sonora, MEXICO, 102.
- Eremogyne cliftonii*, new sp. from CA, 329.
- Eriastrum densifolium* subsp. *sanctorum* in CA floodplain, 126.
- Ericaceae (see *Arctostaphylos*)
- Eriogonum umbellatum* var. *glaberrimum*, noteworthy collection from OR, 208.
- Eriophyllum lanatum* and *E. confertiflorum* var. *confertiflorum*, supernumerary chromosomes, 30.
- Euphorbia peplus*, noteworthy collection from NV, 206.
- Euphorbiaceae (see *Euphorbia*)
- Exotic vegetation removal, 258.
- Fabaceae:
- New taxa: *Dalea analiliana*, 175; *Lathyrus nevadensis* var. *cusickii*, *L. lanszwertii* var. *sandbergii*, 63, should be *L. lanszwertii* var. *bijugatus*, 373; *Vicia ludoviciana* var. *leavenworthii*, *V. nigricans* var. *gigantea*, 63.
- Noteworthy collections: *Astragalus kentrophyta* var. *ungulatus*, 204; *Psorothamnus fremontii* var. *attenuatus*, 203.
- Fagaceae (see *Quercus*)
- Festuca washingtonica*, noteworthy collection from British Columbia, CANADA, 367.
- Fire ecology: Postfire regeneration patterns in southern California mixed chaparral, 1.
- Fossil plants (see Cycadeoid)
- Floodplain vegetation, upper Santa Ana Riv., CA, 126.
- Frangula purshiana** subsp. *annonifolia* and *F. purshiana* subsp. *ultramafica* from Sierra Nevada, CA, 172.
- Fumaria officinalis*, *F. parviflora*, noteworthy collections from Sonora, MEXICO, 102.
- Fumariaceae (see *Fumaria*)
- Gabbro soils: *Ceanothus roderickii* fire response, 13.
- Gentianaceae (see *Halenia*)
- Glaucium corniculatum*, noteworthy collection from Sonora, MEXICO, 102.
- Glyceria declinata*, noteworthy collection from NV, 205.
- Gramineae (see Poaceae)
- Grassland restoration, 225 and 249.
- Guadalupe Island, Mexico (see *Deinandra*)
- Hainardia cylindrical*, noteworthy collection from OR, 101.
- Halenia rothrockii*, nomenclature, 326.
- Helminthotheca (Picris) echinoides*, noteworthy collection from NV, 206.
- Herniaria hirsute* subsp. *cinerata*, noteworthy collection from Sonora, MEXICO, 102.
- Hymenoxys richardsonii* var. *richardsonii*, noteworthy collection from NV, 207.
- Invasive plants: restoring native grasses, 249; spatiotemporal patterns in CA, 105.
- Iridaceae (see *Iris*)
- Iris pseudacorus*, noteworthy collection from NV, 207.
- Keys: *Arctostaphylos glandulosa* subsp., 58; *A. tomentosal* *A. crustacean* complex, in part, 152; *Castilleja* Subg. *Colacus* Sect. *Oncorhynchus* annual spp., in part, 339; *Brodiaea* in so. CA, 191; *Eremogyne cliftonii* and congeners, 331; *Frangula purshiana* taxa, 174; *Pedicularis aurantiaca* and *P. densiflora*, 315; *Pentagramma* of CA and Baja Calif., MEXICO, 351; *Prunus* in Pacific northwest, 79.
- Klamath Mts., CA (see *Pinus*)
- Kochia scoparia*, noteworthy collection from Sonora, MEXICO, 102.
- Lathyrus*: New combinations: *L. nevadensis* var. *cusickii*. *L. lanszwertii* var. *sandbergii*, 63, should be *L. lanszwertii* var. *bijugatus*, 373.
- Leguminosae (see Fabaceae)
- Liliaceae (see *Asphodelus*)
- Limosella acaulis*, noteworthy collection from British Columbia, CANADA, 366.
- Lomatium hendersonii*, *L. canbyi*, noteworthy collections from OR, 208.
- Loranthaceae (see *Psittacanthus*)

- Lycium brevipes* var. *brevipes*, noteworthy collection from CA, 368.
- Lythraceae (see *Lythrum* and *Rotala*)
- Lythrum tribracteatum*, noteworthy collection from NV, 207.
- Mammillaria gaumeri*, pollinators in natural habitat and a botanical garden, 286.
- Martyniaceae (see *Proboscidea*)
- MEXICO: *Halenia rothrockii*, nomenclature, 326; *Mammillaria gaumeri*, pollinators in natural habitat and a botanical garden, 286; *Psittacanthus angustifolius* and *P. pinicola*, new morphological measurements, 156.
- New taxa: **Dalea analiliana**, 175; **Pentagramma triangularis** subsp. **rebmanii**, 345.
- Noteworthy collections from Sonora: *Asphodelus fistulosus*, *Chorispora tenella*, *Cucumis dipsaceus*, *Eragrostis echinochloidea*, *E. superba*, *Fumaria officinalis*, *F. parviflora*, *Glaucium corniculatum*, *Herniaria hirsute* subsp. *cineraria*, *Kochia scoparia*, *Pennisetum setaceum*, *Sinapis arvensis*, *Verbascum virgatum*, 102.
- Mojave Desert (see *Coleogyne*)
- Nevada: Noteworthy collections: *Aegilops triuncialis*, 206; *Alopecurus geniculatus*, *Ambrosia confertiflora*, 205; *Anemone drummondii*, 206; *Carduus nutans*, 205; *Carex vulpinoidea*, *Cryptantha compacta*, *C. flaccida*, *Euphorbia peplus*, 206; *Glyceria declinata*, 205; *Hechtia lanigera* (Picris) *echinoids*, 206; *Hymenoxys richardsonii* var. *richardsonii*, *Iris pseudacorus*, *Lythrum tribracteatum*, *Parthenium ligulatum*, 207; *Polygala macradenia* var. *macradenia*, 204; *Psilocarphus oregonus*, *Rotala ramosior*, 207; *Sanvitalia abertii*, 205; *Schedonardus paniculatus*, 208.
- Nyctaginaceae (see *Abronia* and *Boerhavia*)
- Orchidaceae (see *Platanthera* and *Spiranthes*)
- Oregon: **Plagiobothrys figuratus** var. **corallicarpus**, new status, and nomenclatural notes and lectotypes in *P. sect. Allocarya*, 322.
- Noteworthy collections: *Eriogonum umbellatum* var. *glaberrimum*, *Lomatium hendersonii*, *L. canbyi*, *Pyrrocoma latriformis*, 208.
- Orobanchaceae (see *Castilleja* and *Pedicularis*)
- Outdoor classroom, 258.
- Papaveraceae (see *Glaucium*)
- Parietaria judaica*, noteworthy collection from CA, 369.
- Parthenium ligulatum*, noteworthy collection from NV, 207.
- Pedicularis aurantiaca**, new species, and *P. densiflora*, morphological variation, 306.
- Pennisetum setaceum*, noteworthy collection from Sonora, MEXICO, 102.
- Penstemon haydenii*, effect of staminode removal on female reproductive success, 22.
- Pentachaeta aurea** subsp. **allenii**, new subsp. from CA, 343.
- Pentagramma triangularis** subsp. **rebmanii**, new subsp. from CA, 345.
- Physaria ludoviciana*, noteworthy collection from CA, 204.
- Pinaceae (see *Pinus*)
- Pinus balfouriana*, environmental and ecological effects on size class distributions, 117.
- Plagiobothrys figuratus** var. **corallicarpus**, new status, and nomenclatural notes and lectotypes in *P. sect. Allocarya*, 322.
- Plantaginaceae (see *Limosella*)
- Platanthera*: *P. chlorisiana*, collection history in WA, 164; **P. yosemitensis**, new species from Yosemite Nat. Park, CA, 86.
- Poaceae:
- Noteworthy collections: *Aegilops triuncialis*, 206; *Alopecurus geniculatus*, 205; *Crypsis alopecuroides*, 366; *Enneapogon cenchroides*, 203; *Eragrostis echinochloidea*, *E. superba*, 102; *Festuca washingtonica*, 367; *Glyceria declinata*, 205; *Hainardia cylindrica*, 101; *Pennisetum setaceum*, 102; *Schedonardus paniculatus*, 208.
- Polemoniaceae (see *Allophyllum*)
- Pollination biology (see *Mammillaria*)
- Polygala macradenia* var. *macradenia*, noteworthy collection from NV, 204.
- Polygalaceae (see *Polygala*)
- Polygonaceae (see *Eriogonum*)
- Polyplodity (see Invasive plants)
- Potentilla gracilis** var. **owyheensis**, and the *P. drummondii* complex, 180.
- President's report, 374.
- Proboscidea sabulosa*, noteworthy collection from TX, 209.
- Prunus × pugetensis** (*P. avium* × *emarginata*) from the Pacific northwest, 74.
- Psilocarphus oregonus*, noteworthy collection from NV, 207.
- Psittacanthus angustifolius* and *P. pinicola*, new morphological measurements, 156.
- Psorothamnus fremontii* var. *attenuatus*, noteworthy collection from CA, 203.
- Pteridaceae (see *Pentagramma*)
- Puget Sound (see *Prunus*)
- Pyrrocoma latriformis*, noteworthy collection from OR, 208.
- Quercus douglasii*, long-term growth and persistence of seedlings, 269.
- Ranunculaceae (see *Anemone*)
- Reviews: *American Perceptions of Inunigrant and Invasive Species: Strangers on the Land* by Peter Coates, 363; *Ecology and Management of Giant Hogweed (Heracleum mantegazzianum)* ed. by Petr Pyšek, et al., 202; *Fire in California's Ecosystems* ed. by Neil G. Sugihara, et al., 354 & 358; *Introduction to California Soil and Plants: Serpentine, Vernal Pools, and Other Geobotanical Wonders* by Art R. Kruckeberg, 191; *Plants on Islands: Diversity and Dynamics on a Continental Archipelago* by Martin L. Cody, 99; *Serpentine Geoecology of Western North America: Geology, Soils, and Vegetation* by Earl B. Alexander, et al., 191; *Weeds of California and Other Western States* by Joseph M. DiTomaso and Evelyn A. Healy, 361.
- Rhamnaceae: (see *Ceanothus* and *Frangula*)
- Rhamnus* (see *Frangula*)
- Riparian restoration, urban, 258.
- Rorippa austriaca*, noteworthy collection from WA, 210.
- Rosaceae: *Adenostoma fasciculatum*, postfire regeneration patterns, 1; *Coleogyne ramosissima*, intraspecific variation in seed imbibition, 27; *Potentilla drummondii* complex, 180.
- New taxa: **Potentilla gracilis** var. **owyheensis**, 180; **Prunus × pugetensis**, 74.
- Rotala ramosior*, noteworthy collection from NV, 207.

- Salt marsh vegetation in west Texas, 138.
 Santa Ana Riv., CA (see Floodplain vegetation)
Sanvitalia abertii, noteworthy collection from NV, 205.
Schedonardus paniculatus, noteworthy collection from
 NV, 208.
 Scrophulariaceae (see *Penstemon* and *Verbascum*, see also
 Orobanchaceae)
 Serpentine (see *Frangula*)
 Sierra Nevada, CA: ***Platanthera yosemitensis***, new species
 from Yosemite Nat. Park, 86.
Silene lemmonii, pollination biology, 293.
Sinapis arvensis, noteworthy collection from Sonora
 MEXICO, 102.
 Solanaceae (see *Lycium*)
Spiranthes diluvialis, noteworthy collection from British
 Columbia, CANADA, 366.
Streptanthus longisiliquus, new sp. from CA, 94.
 Supernumerary chromosomes (see *Eriophyllum*)

Texas (see *Proboscidea* and salt marsh vegetation)
 Themidaceae (see *Brodiaea*)
 Tidal marsh ecosystem restoration, 234.

Umbelliferae (see Apiaceae)

Urban riparian restoration, 258.

Urticaceae (see *Parietaria*)

Verbascum virgatum, noteworthy collection from Sonora,
MEXICO, 102.

Vicia: New combinations: ***V. ludoviciana*** var. **leavenworthii**, ***V. nigricans*** var. **gigantea**, 63.

Viola adunca var. *cascadensis*, noteworthy collection from British Columbia, CANADA, 367.

Violaceae (see *Viola*)

Washington: *Abronia umbellata*, noteworthy collection, 209; *Platanthera chorisiana*, collection history, 164.

New taxon: **Castilleja victoriae**, 334.

Wyoming: *Penstemon haydenii*, effect of staminode removal on female reproductive success. 22.

Noteworthy collections: *Centaurea montana*, *Chrysanthemum*

Statement of Ownership, Management, and Circulation (All Periodicals Publications Except Requester Publications)									
1. Publication Title	2. Publication Number				3. Filing Date				
Madrono	0	0	2	4	9	6	3	7	28 September 2007
4. Issue Frequency	5. Number of Issues Published Annually				6. Annual Subscription Price				
Quarterly	Four				\$65.00				
7. Complete Mailing Address of Known Office of Publication (Not printer) (Street, city, county, state, and Zip+4#)								Contact Person Susan Bainbridge	
California Botanical Society, Jepson Herbarium, 1001 VLSB #2465, U. of CA, Berkeley, CA 94720								Telephone (Include area code) 510/643-7008	
8. Complete Mailing Address of Headquarters or General Business Office of Publisher (Not printer)									
California Botanical Society, Jepson Herbarium, 1001 VLSB #2465, University of CA, Berkeley, CA 94720-2465									
9. Full Names and Complete Mailing Addresses of Publisher, Editor, and Managing Editor (Do not leave blank)									
Publisher (Name and complete mailing address)									
California Botanical Society, Jepson Herbarium, 1001 VLSB #2465, University of CA, Berkeley, CA 94720-2465									
Editor (Name and complete mailing address)									
John Hunter, c/o UC Davis Herbarium/Center for Plant Diversity, Plant Biology, One Shields Avenue, University of CA, Davis, CA 95616									
Managing Editor (Name and complete mailing address)									
10. Owner (Do not leave blank. If the publication is owned by a corporation, give the name and address of the corporation immediately followed by the names and addresses of all stockholders owning or holding 1 percent or more of the total amount of stock. If not owned by a corporation, give the names and addresses of the individual owners. If owned by a partnership or other unincorporated firm, give its name and address as well as those of each individual owner. If the publication is published by a nonprofit organization, give its name and address.)									
Full Name				Complete Mailing Address					
California Botanical Society				Jepson Herbarium, 1001 VLSB #2465					
				University of CA, Berkeley, CA 94720-2465					
11. Known Bondholders, Mortgagors, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages, or Other Securities. If none, check box								► ■ Non	
Full Name				Complete Mailing Address					
12. Tax Status (For compilation by nonprofit organizations authorized to mail at nonprofit rates) (Check one)									

13. Publication Title Madrono	14. Issue Date for Circulation Data Below 30 September 2007	
15. Extent and Nature of Circulation		
	Average No. Copies Each Issue During Preceding 12 Months	
a. Total Number of Copies (Net press run)	1,069	1,050
b. Paid Circulation (By Mail and Outside the Mail)	Mailed Outside-County Paid Subscriptions Stated on PS Form 3541 (include paid distribution above nominal rate, advertiser's proof copies, and exchange copies) (1) _____ Mailed In-County Paid Subscriptions Stated on PS Form 3541 (include paid distribution above nominal rate, advertiser's proof copies, and exchange copies) (2) _____ Paid Distribution Outside the Mail Including Sales Through Dealers and Carriers, Street Vendors, Counter Sales, and Other Paid Distribution Outside USPS® (3) _____ Paid Distribution by Other Classes of Mail Through the USPS (e.g. First-Class Mail) (4) _____	917 878 0 49 49 28 20
c. Total Paid Distribution (Sum of 15b (1), (2), (3), and (4))	994	947
d. Free or Nominal Rate Distribution (By Mail and Outside the Mail)	Free or Nominal Rate Outside-County Copies Included on PS Form 3541 (1) _____ Free or Nominal Rate In-County Copies Included on PS Form 3541 (2) _____ Free or Nominal Rate Copies Mailed at Other Classes Through the USPS (e.g. First-Class Mail) (3) _____ Free or Nominal Rate Distribution Outside the Mail (Covers or other means) (4) _____	2 2 0 0 2 2
e. Total Free or Nominal Rate Distribution (Sum of 15d (1), (2), (3) and (4))	4	4
f. Total Distribution (Sum of 15c and 15d)	998	951
g. Copies not Distributed (See instructions to Publishers #4 (page #3))	71	99
h. Total (Sum of 15f and g)	1,069	1,050
i. Percent Paid (15c divided by 15f times 100)	93	90
16. Publication Statement of Ownership		
<input checked="" type="checkbox"/> If the publication is a general publication, publication of this statement is required. Will be printed in the fourth issue of this publication.		□ Publication not required.

I certify that all information furnished on this form is true and complete. I understand that anyone who furnishes false or misleading information on this form or who omits material or information requested on the form may be subject to criminal sanctions (including fines and imprisonment) and/or civil sanctions (including civil penalties).